

COFL

SLR:dm 10/01/04 7013-54358-01 315170

PATENT  
Attorney Matter No. 7013-54358-01



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

**In re application of:**

Santosh Misra and Malinee Chatthai

**Patent No.** 6,759,529 B1

**Issued:** July 6, 2004

**Application No.** 09/641,540

**Filed:** August 18, 2000

**Confirmation No.** 6802

**For:** PLANT-GENE PROMOTER AND  
METHODS OF USING THE SAME

**Examiner:** Teresa E. Strzelecka

**Art Unit:** 1637

**Attorney Reference No.** 7013-54358-01

**Date Mailed** October 4, 2004

Certificate  
OCT 13 2004  
of Correction

COMMISSIONER FOR PATENTS  
P.O. BOX 1450  
ALEXANDRIA, VA 22313-1450

REQUEST FOR CERTIFICATE OF CORRECTION

The following printing errors were noted in comparing the printed patent with the papers in the attorneys' files:

In the Specification:

Column 4, line 31, "there of" should be --thereof--.

Column 5, line 13, "gPmMTα" should be --gPmMTα--.

Column 5, line 18, "gPmMTα" should be --gPmMTα--.

Column 10, line 19, "BLASTs" should be --BLAST<sup>TM</sup>--.

Column 11, line 46, "XbaI" should be --XbaI--.

Column 11, lines 48, 50, 54, 55, and 63, "gPmMTα" should be --gPmMTα--.

Column 12, lines 36, 43, 56, and 62, "gPmMTα" should be --gPmMTα--.

Column 13, lines 7, 22, and 30, "gPmMTα" should be --gPmMTα--.

18 OCT 2004

Column 14, lines 18, 43, and 50, "gPmMT $\alpha$ " should be --gPmMTa--.

Column 14, line 59, "MT1 $\alpha$ " should be --MT1a--.

Column 14, line 60, "PsMT $\alpha$ " should be --PsMTa--.

Column 15, line 11, "scription" should be --transcription--.

Column 15, lines 38 and 40, "gPmMT $\alpha$ " should be --gPmMTa--.

Column 16, line 30, "gPmMT $\alpha$ " should be --gPmMTa--.

Column 16, line 51, "upstream a of a" should be --upstream of a--.

Column 17, lines 11 and 17, "gPmMT $\alpha$ " should be --gPmMTa--.

Column 20, line 22, "8.0,25" should be --8.0, 25--.

Column 21, line 47, "gPmMT $\alpha$ " should be --gPmMTa--.

Column 22, line 20, "gPmMT $\alpha$ " should be --gPmMTa--.

Column 22, line 39, "pg" should be -- $\mu$ g--.

Column 22, line 55, "*E. coli*" should be --*E. coli*--.


Column 22, line 65, "g/mL" should be -- $\mu$ g/mL--.

Column 23, line 2, "DNA" should be --DNA--.

All of the above errors are attributable to the Patent Office, and a Certificate of Correction is enclosed to make formal notice of the errors in the referenced patent.

Respectfully submitted,

KLARQUIST SPARKMAN, LLP

By   
Sheree Lynn Rybak, Ph.D.  
Registration No. 47,913

One World Trade Center, Suite 1600  
121 S.W. Salmon Street  
Portland, Oregon 97204  
Telephone: (503) 226-7391  
Facsimile: (503) 228-9446

cc: Docketing

[18 OCT 2004]

UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION

PATENT NO. : 6,759,529 *B1*

DATED : July 6, 2004

INVENTOR(S) : Santosh Misra and Malinee Chatthai

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the Specification:

Column 4, line 31, "there of" should be --thereof--.

Column 5, line 13, "gPmMT $\alpha$ " should be --gPmMTa--.

Column 5, line 18, "gPmMT $\alpha$ " should be --gPmMTa--.

Column 10, line 19, "BLASTs" should be --BLAST<sup>TM</sup>--.

Column 11, line 46, "XbaI" should be --XbaI--.

Column 11, lines 48, 50, 54, 55, and 63, "gPmMT $\alpha$ " should be --gPmMTa--.

Column 12, lines 36, 43, 56, and 62, "gPmMT $\alpha$ " should be --gPmMTa--.

Column 13, lines 7, 22, and 30, "gPmMT $\alpha$ " should be --gPmMTa--.

Column 14, lines 18, 43, and 50, "gPmMT $\alpha$ " should be --gPmMTa--.

Column 14, line 59, "MT1 $\alpha$ " should be --MT1a--.

Column 14, line 60, "PsMT $\alpha$ " should be --PsMTa--.

Column 15, line 11, "scription" should be --transcription--.

Column 15, lines 38 and 40, "gPmMT $\alpha$ " should be --gPmMTa--.

Column 16, line 30, "gPmMT $\alpha$ " should be --gPmMTa--.

Column 16, line 51, "upstream a of a" should be --upstream of a--.

Column 17, lines 11 and 17, "gPmMT $\alpha$ " should be --gPmMTa--.

Column 20, line 22, "8.0,25" should be --8.0, 25--.

Column 21, line 47, "gPmMT $\alpha$ " should be --gPmMTa--.

Column 22, line 20, "gPmMT $\alpha$ " should be --gPmMTa--.

Column 22, line 39, "pg" should be -- $\mu$ g--.

Column 22, line 55, "*E. coli*" should be --*E. coli*--.

Column 22, line 65, "g/mL" should be -- $\mu$ g/mL--.

Column 23, line 2, "DNA" should be --DNA--.

MAILING ADDRESS OF SENDER:

Sheree Lynn Rybak, Ph.D.  
Klarquist Sparkman, LLP  
One World Trade Center, Suite 1600  
121 SW Salmon Street  
Portland, Oregon 97204

PATENT NO. 6,759,529 *B1*  
No. of add'l copies 0  
(@ .30 per page)

Page 1 of 1

18 OCT 2004